



WWW.PEEQ.MEDIA.COM



192 LEXINGTON AVE., NEW YORK, NY 10016
30-30 47TH AVE., LONG ISLAND CITY, NY 11101
1100 RANDOLPH ROAD, SOMERSET, NJ 08873
831 PILOT ROAD, LAS VEGAS, NV 89119

212.213.8310 | WWW.PEEQ.MEDIA.COM

● **Scanners / Digital Camera / Photo Studio**

Heidelberg/Hell PrimeScan D8200

PMT drum scanner (19" x 24" max. input) 16-bits-per-pixel input/ICC profile to 8-bit output, 11,000 ppi maximum resolution, scales from 20–3,000%

Heidelberg NewsScan F4200 flatbed scanner

(12" x 18" max. input) with 5,080 ppi 16-bit CCD array

Hasselblad H3DII-39 medium digital format camera

Offering a 39 megapixel full-frame 36 x 48mm sensor -the largest sensor currently available in digital photography for the highest-end performance along with a new level of image sharpness. 18" x 24" 16 bit output @ 300dpi. Hasselblad 120mm f4 macro & 80mm f2.8 lenses assure the ultimate in capture quality.

Canon 5D digital camera

12.8 megapixel full-frame CMOS sensor allows the capture of image data with exceptional clarity and efficiency. It incorporates Canon's on-chip noise reduction technology to ensure outstanding color rendition and image detail. 9.7" x 14.5" output @ 300dpi. 24-105mm f4 IS lens and EF 50mm f1.4 lens provide the necessary clarity and image stabilization for on-demand shooting.

Continuous light studio

Equipped with a Cambo white plexiglas shooting table accompanied by 2 large 1000 watt softboxes, a 1000 watt boom and a 1000 watt spotlight.

● **External Networks**

Main plant is fiber-optic connected to the internet with 100 mbps speed. VPN connections are in place between our various locations. A high-availability server system at Rackspace provides PHP and .Net platforms for customized web based applications that enable marketing brands to work faster and smarter.

FTP Site—web based direct file exchange

WIP—work in process access via xinet webnative

Ad Transmission—via various service

● **Internal Network**

Our plants are networked with a virtual LAN using fiber-optic cable, switches, and gigabit Ethernet running at full-duplex speed, allowing access to our common central server and ticketing system, from any of our locations.

● **Central File Servers**

Our state-of-the-art Sun Fire V890 file server, with integral robotic tape drives (AIT-3 and LTO-5) provides us, and our customers, with more than 150 TBs of combined online and near-line storage. In addition, our dedicated disaster recovery modules and Sun Fire V445 failover file server mean that we'll be up and running again with relative ease, no matter what nature throws our way.

Our custom Filemaker Pro order entry and tracking database, with integrated modules from all of our shipping vendors, running on an Apple XServe, means we (and you) always know exactly where your job is, 24/7.

DAM Server

Enables remote client web browser access to Chuckwalla digital asset management (DAM) online files and archives. Image thumbnails are linked to searchable text fields. Collaboration, rights management and asset distribution tools.

Proof Server

Running Kodak Virtual Matchprint software, provides access to Kodak Real Time Proofing database with color-accurate viewing of soft proofs (on-screen proofing) and integrated retouching mark-up tools with email notifications. Job management interface connects all approvers.

ePOD Server

Electronic print on demand services powered by Rackspace co-location managed servers. Templates offer customizable marketing materials to either HQ or field users who build, preview, download and/or order printed marketing materials of any kind. Integrated fulfillment, asset management, and custom marketing workflows enable brands to work more efficiently.

EFI Monarch—Business management server connecting all locations

Flashnet—Archiving and Data Recovery

● **Computer Workstations**

14 - MacPro Intel, 16 iMac 24" Intel—Creative / Studio

Varying configurations—All with the latest Quad-Core Intel Xeon or Intel Core 2 Duo Processors. Dual/Quad CPUs, up to 8 GBs RAM, RAID disk drives, All with dual HD monitors.

34 - Apple iMac/G5/G4/ - 20 PCs—Customer Service / Sales

Networked to Filemaker Pro server and custom configured for order entry / job tracking. Provides job details, tracking and cost to-date.

● **Raster Image Processors (RIPs)**

HP Indigo RIP—Dedicated RIP for HP Indigo 3050 digital printing press.

Dice Cheetah RIP/Server

Running on DEC Alpha, Windows NT— dedicated RIP for Durst Lambda digital photographic imaging units.

Colorburst RIP

Windows NT dedicated RIP for Vutek 5330 Inkjet Printers

2 - Kodak Prinergy EVO RIPs

Advanced PDF-workflow RIPs with luminance-based trapping for our 40" platesetters.

Rampage Systems Workflow RIP

Supporting native PDF and JDF for our 40" platesetters.

Azora RIP

Separates each channel of a 4-color file into 1-bit tiffs for output on the Fuji Finalproof.

Onyx ProductionHouse 7.0.5

For HP z6100 and Mimaki JV5 large format inkjet printers.

Xinet Full Press RIP

Our main RIP, this OPI system sends large files quickly and allows us to give you low-res FPO files that enable on-the-fly high-res image replacement.

● **Digital Inkjet and Grand Format Printing**

3 - Vutek 5330 Printers

Using 8-color solvent-based inks, prints on a wide range of materials: vinyl, mesh vinyl, self-adhesive vinyl, paper, fabric and more; used for applications ranging from transportation to outdoor displays.

16' maximum width; media rolls are available in a range of widths.

Vutek QS3250r UV-curing Printer

Two print modes: 8-color and Fast-4 to deliver speed and quality, prints on flexible substrates to .125" thick; used for applications ranging from transportation to outdoor displays. 10.5' maximum width; can print up to 2 60-inch rolls simultaneously.

Vutek GS5000r UV-curing Printer

Two print modes: 8-color and Fast-4. Prints on flexible substrates including heavy textiles and mesh up to .125" thick; used for applications ranging from transportation to outdoor displays. 16.5' maximum width; can print up to 3 60-inch rolls simultaneously.

3- HP Scitex XL1500 Printers

Third generation Digital Printing System, drop-on-demand piezoelectric inkjet 8 color, prints on a wide range of materials, any thickness, any length, used for applications ranging from transportation to outdoor displays. Various widths media rolls. 16' maximum width.

Mimaki JV33 160

High-resolution solvent or aqueous based inkjet, capable of printing 7/C (6/C + white), with a maximum print width of 63.3"

Mimaki JV5 160S

High-resolution solvent-based inkjet with a maximum print width of 63.3"; length to 1,000 feet.

HP DesignJet Z6100

8-color archival-quality pigment-based inks make this device especially well-suited for art reproduction— 42" width by up to 1,000 feet.

EFI Vutek QS 2000 Flatbed / Roll Printer

High Definition Print (HDP) capable, superwide format 78" printer (handles both flat bed and roll to roll materials); prints on wide range of substrates both rigid and flexible; can print on rigid substrates up to 2 inches thick, 540 and 1080 dpi print capabilities, 7 color (6C +White) delivers the highest quality signs, Point-of-Purchase displays, banners and other superwide print applications faster than ever before.

EFI Vutek QS 3200 Flatbed / Roll Printer

High Definition Print (HDP) capable, superwide format 126" printer (handles both flat bed and roll to roll materials); prints on wide range of substrates both rigid and flexible; can print on rigid substrates up to 2 inches thick, 540 and 1080 dpi print capabilities, 7 color (6C +White) delivers the highest quality signs, Point-of-Purchase displays, banners and other superwide print applications faster than ever before.

2- Digital Screen Presses

Finally, a way to print on typical screen print substrates in a digital output, at competitive pricing. Extremely fast, 6 color printing using UV inks at three resolution/speed settings. In line trimming for quick turn around.

Maximum printing size of 60" x 141 3/4". Available on numerous coated and uncoated substrates up to 20 point thickness, such as card stock, styrene, MXM paper, as well as gloss or matte quality papers.

● **Digital Photographic Printing**

5- Durst Lambda Digital Imagers

400 ppi continuous tone on reflective or backlit photographic material up to 50" wide.

Oce LightJet 500XL Digital Imager

300 ppi continuous tone on reflective or backlit photographic material up to 72" x 120".

4 - Colex RA4 photographic processors

one 80" width, three 55" width.

● **Offset Printing**

40" Heidelberg Speedmaster Offset Press—6-color 28" x 40"

With inline aqueous coater.

40" Heidelberg Speedmaster 102 Perfector Press—10-color 28" x 40"

With inline aqueous coater.

40" Komori Lithrone L-640 Offset Press—6-color 28" x 40"

40" Mitsubishi 3F Offset Press—6-color 28" x 40"

With inline aqueous coater.

40" Mitsubishi 3H Offset Press—6-color 28" x 40"

With inline aqueous coater.

Heidelberg GTO Perfector Offset Press—5-color 14" x 20"

1- Hamada Press 11" x 17" presses with Satellite 2 Color heads—two plates, one blanket.

● **Digital Printing**

HP Indigo 3050 Digital Printing Press

Supports short-run, offset-quality printing with variable data capabilities. Maximum sheet: 12.6" x 18.7", imageable area is 12.1" x 18.2".

Kodak m700

Supports short-run printing with variable data capabilities; has inline stitcher/trimmer. Maximum sheet: 13" x 19.2", imageable area is 12.71" x 19".

Kodak NexPress2500

Supports short-run, offset-quality printing with variable data capabilities; has inline stitcher/trimmer and unique glossing features. Maximum sheet: 14.016" x 20.472", imageable area is 13.516" x 19.972".

● **Finishing / Bindery**

Fully-equipped shop—for custom display fabrication.

Mimaki CG-150 FX— CAD Cutting Plotter

Esko Kongsberg i - XL44 "i-cut"

Creates complex, multi-pass cutting for cleaner, smoother-edged graphics on virtually all materials, including acrylic, PVC, plastics, and woods.

2 - 60' CS-112 Miller Weldmaster

Hot air vinyl welding, cutting and finishing machine, for producing signs and banners 60' wide by virtually any length.

Siska "F" Series Grommet Machine—Automatic grommet machine

Juki LH-3128 Sewing Machine—2-needle lockstitch

2 - Polar-Mohr 115 EMC Guillotine Cutters

3 - Heidelberg Stahl Folders

TSK Collation Machine (up to 30 pockets)

Folder (w Pocket gluer attachments)

40" Polar-Mohr analog and 36" Polar 92 digital—Cutters

Sakuri Screen UV coater— 28" x 40" overall or spot coat available

GBC Film laminator— 28" x 40" overall Gloss / Matte lamination

Osako JetStream 2300 Saddle-Stitcher (up to 8 pockets)

Beseler Shrink Wrapping System / Saddle Stitcher

Stahl Folder / Challenge Drill Press / Rollen Scorer

Multiple Laminators and Mounting Presses

Wire-0 and GBC Comb Binding

Bobst SP die cutter— 28" x 40"

Additional Bindery and Fulfillment Services

- Drilling • Shrink Wrapping • Labeling
- Padding • Wafer Sealing
- Fulfillment Services (ex. Hand Assembly, inserting)

• **Imagesetters / Platesetters / Proofer**

Epson Stylus 9880

Gracol G7 Certified proofing system, with roll width of up to 40", eliminating the need to tile proofs

2 - Epson Stylus 9900

Gracol G7 Certified proofing system, with roll width of up to 40", eliminating the need to tile proofs

Epson Stylus 1180

Gracol G7 Certified proofing system, with roll width of up to 60", eliminating the need to tile proofs

Epson Stylus 9600

Proofing system, with roll width of up to 40"

2 - Kodak Approval XP4 Digital Halftone Proofer

Proofs directly from digital files on various stocks, "filmless contract proof" up to 20" x 26", supports most spot colors and metallics.

ImpoProof 8000S 44" automated double-sided imposition proofer

Uses two Canon iPF 8000S plotters to produce up to 23 double-sided proofs per hour, in standard 8-up format, at 1,200dpi.

Creo Spectrum 40" Digital Platesetter

Kodak Magnus 800 40" Digital Platesetter

2 - Screen PlateRite 8000 40" Digital Platesetter

2 - Oris-driven Canon W6400 Inkjets—24" roll width

2 - HP DesignJet 1050

BlackMagic software for calibrated color or black and white proofs on various newsprint stocks.

2 - Fuji Finalproof 5600 Digital Halftone Proofers

With GXT software for 5th color; contract proofing devices with 25.6" x 21.6" max. sheet size.

**For more information, please contact customer service
or your account representative: 212.213.8310**